

Rheology Modifier DCA-6130

 dcachem.com/portfolio/rheology-modifier-dca-6130

Introduction

DCA-6130 is a pre-dispersed material based on organic synthetic amide wax. It has small particle size and good dispersibility, which can be easily dispersed into the system, thus providing good rheology. It is widely used in primer for anti-settling and clearcoat for anti-sagging.

Physicochemical Data

- Chemical composition: a mixture of foam breaking polymers and organic silicon
- Appearance: Light yellow to white paste
- Active content: 20%
- Solvent: Xylene/Ethanol

Product features

- Anti-settlement for priming paint
- Anti sagging for varnish

Application areas

Suitable for various solvent-based coating systems, including but not limited to the following application areas:

- Solvent system coating
- Solvent system ink

Similar Products: Disparlon 6900-20

Our products have a good cost-performance ratio, receiving positive feedback from customers in China and overseas markets.

Addition Method

The dosage varies according to different application systems. For anti-settling, the recommended dosage is 0.5-2.0%, and for anti-sagging, the recommended dosage is 2.0-5.0%. It is recommended to add it after other materials have been added.

Packaging and storage:

16KG iron drum, stored in a cool and dry place.

Note: The purpose of this manual is to provide basic product information to technical personnel involved in the development of coatings, inks, pesticides, and other industries. It is intended for research and reference use and does not carry any warranties. Please conduct preliminary tests to assess its suitability.